

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22/Jun/2005	8:40	UCD Phase II	samplewater	Oxygen, Dissolved	5.2	mg/L
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	07/Jul/2005	9:10	UCD Phase II	samplewater	Oxygen, Dissolved	5.6	mg/L
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Jul/2005	8:20	UCD Phase II	samplewater	Oxygen, Dissolved	4.8	mg/L
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	03/Aug/2005	8:40	UCD Phase II	samplewater	Oxygen, Dissolved	4.5	mg/L
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Aug/2005	13:40	UCD Phase II	samplewater	Oxygen, Dissolved	-88	mg/L
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22/Jun/2005	8:40	UCD Phase II	samplewater	pH	6.94	units
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	07/Jul/2005	9:10	UCD Phase II	samplewater	pH	7.07	units
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Jul/2005	8:20	UCD Phase II	samplewater	pH	7.14	units
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	03/Aug/2005	8:40	UCD Phase II	samplewater	pH	7.11	units
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Aug/2005	13:40	UCD Phase II	samplewater	pH	7.22	units
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22/Jun/2005	8:40	UCD Phase II	samplewater	SpecificConductivity	1047	µS/cm
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	07/Jul/2005	9:10	UCD Phase II	samplewater	SpecificConductivity	1049	µS/cm
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Jul/2005	8:20	UCD Phase II	samplewater	SpecificConductivity	899	µS/cm
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	03/Aug/2005	8:40	UCD Phase II	samplewater	SpecificConductivity	1034	µS/cm
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Aug/2005	13:40	UCD Phase II	samplewater	SpecificConductivity	1030	µS/cm
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	22/Jun/2005	8:40	UCD Phase II	samplewater	Temperature	19.9	°C
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	07/Jul/2005	9:10	UCD Phase II	samplewater	Temperature	23.1	°C
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Jul/2005	8:20	UCD Phase II	samplewater	Temperature	24.4	°C
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	03/Aug/2005	8:40	UCD Phase II	samplewater	Temperature	23.5	°C
Westside Coalition	541XSSJ07	Boundary Drain at Henry Miller Ave	20/Aug/2005	13:40	UCD Phase II	samplewater	Temperature	27	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.25	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.25	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	20/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.55	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.55	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.04	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.04	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.73	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.73	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.01	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.01	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	14.04	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	14.04	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.20	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.2	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.55	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.55	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	15/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.01	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	14.76	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.08	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.81	mg/L
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.89	mg/L</

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	945.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	327.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	364.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	324.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	310.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	448.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	311.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	289.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	297.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Mar/2006		Westside Coalition	samplewater	SpecificConductance	283.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	04/Apr/2006		Westside Coalition	samplewater	SpecificConductance	405.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/May/2006		Westside Coalition	samplewater	SpecificConductance	130.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	118.00	uS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	740	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	654	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	947	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	855	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	757	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	363	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	369	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	257	µS/cm
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Temperature	25.59	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Temperature	25.59	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.2	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.20	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.69	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.69	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.12	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.12	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Temperature	15.11	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.11	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.48	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.48	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Temperature	11.82	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Temperature	11.82	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Jan/2005		Westside Coalition	samplewater	Temperature	6.88	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Temperature	6.88	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	15/Feb/2005		Westside Coalition	samplewater	Temperature	12.68	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	08/Mar/2005		Westside Coalition	samplewater	Temperature	14.28	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Apr/2005		Westside Coalition	samplewater	Temperature	14.89	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	10/May/2005		Westside Coalition	samplewater	Temperature	15.42	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Jun/2005		Westside Coalition	samplewater	Temperature	21.91	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Jul/2005		Westside Coalition	samplewater	Temperature	22.29	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/Aug/2005		Westside Coalition	samplewater	Temperature	23.21	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Sep/2005		Westside Coalition	samplewater	Temperature	17.39	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	11/Oct/2005		Westside Coalition	samplewater	Temperature	15.55	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	12/Oct/2005		Westside Coalition	samplewater	Temperature	17.15	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	08/Nov/2005		Westside Coalition	samplewater	Temperature	13.40	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Dec/2005		Westside Coalition	samplewater	Temperature	7.79	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	03/Jan/2006		Westside Coalition	samplewater	Temperature	9.49	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Feb/2006		Westside Coalition	samplewater	Temperature	10.23	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Mar/2006		Westside Coalition	samplewater	Temperature	9.60	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	14/Mar/2006		Westside Coalition	samplewater	Temperature	9.55	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	04/Apr/2006		Westside Coalition	samplewater	Temperature	12.90	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	09/May/2006		Westside Coalition	samplewater	Temperature	19.15	°C
Westside Coalition	541XDPCHW	Del Puerto Creek at Highway 33	13/Jun/2006		Westside Coalition	samplewater	Temperature	18.76	°C
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.22	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.22	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.54	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.54	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.32	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.32	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.07	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.07	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.93	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.93	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Nov/2004	10:45	Westside Coalition	samplewater	Oxygen, Dissolved	20.00	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Nov/2004	9:50	Westside Coalition	samplewater	Oxygen, Dissolved	20.01	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.60	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.68	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.06	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.93	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.01	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.40	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.76	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.53	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.24	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.18	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	13.03	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.42	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.77	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	10.15	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	10.08	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	05/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.41	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.27	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	5.38	mg/L
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	pH	7.82	units

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	pH	7.84	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Sep/2004		Westside Coalition	samplewater	pH	8.01	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Sep/2004		Westside Coalition	samplewater	pH	7.77	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	pH	7.99	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	pH	7.66	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	pH	8.18	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Nov/2004	9:50	Westside Coalition	samplewater	pH	6.8	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Nov/2004	9:50	Westside Coalition	samplewater	pH	7.32	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	29/Dec/2004		Westside Coalition	samplewater	pH	6.43	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Jan/2005		Westside Coalition	samplewater	pH	7.18	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	15/Feb/2005		Westside Coalition	samplewater	pH	8.26	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	08/Mar/2005		Westside Coalition	samplewater	pH	8.86	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Apr/2005		Westside Coalition	samplewater	pH	7.76	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/May/2005		Westside Coalition	samplewater	pH	8.24	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Jun/2005		Westside Coalition	samplewater	pH	7.97	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Jul/2005		Westside Coalition	samplewater	pH	7.69	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Aug/2005		Westside Coalition	samplewater	pH	7.77	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2005		Westside Coalition	samplewater	pH	7.57	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	11/Oct/2005		Westside Coalition	samplewater	pH	7.57	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2005		Westside Coalition	samplewater	pH	7.64	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	08/Nov/2005		Westside Coalition	samplewater	pH	7.71	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Dec/2005		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	03/Jan/2006		Westside Coalition	samplewater	pH	7.95	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Feb/2006		Westside Coalition	samplewater	pH	7.76	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Mar/2006		Westside Coalition	samplewater	pH	9.21	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Mar/2006		Westside Coalition	samplewater	pH	8.13	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	05/Apr/2006		Westside Coalition	samplewater	pH	8.70	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/May/2006		Westside Coalition	samplewater	pH	8.50	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Jun/2006		Westside Coalition	samplewater	pH	8.63	units
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductance	1063.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	943.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	939.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	895.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	779.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Nov/2004	9:50	Westside Coalition	samplewater	SpecificConductance	295.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	562.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	717.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	10/May/2005		Westside Coalition	samplewater	SpecificConductance	367.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	341.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	626.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	860.00	uS/cm
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road							

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Mar/2006			Westside Coalition	samplewater	Temperature	8.47 °C
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	14/Mar/2006			Westside Coalition	samplewater	Temperature	8.99 °C
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	05/Apr/2006			Westside Coalition	samplewater	Temperature	11.08 °C
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	09/May/2006			Westside Coalition	samplewater	Temperature	12.61 °C
Westside Coalition	541XDPCR	Del Puerto Creek Near Cox Road	13/Jun/2006			Westside Coalition	samplewater	Temperature	18.25 °C
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	09/Aug/2005			Westside Coalition	samplewater	Oxygen, Dissolved	5.81 mg/L
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	09/Aug/2005			Westside Coalition	samplewater	pH	7.75 units
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	09/Aug/2005			Westside Coalition	samplewater	SpecificConductance	392.00 uS/cm
Westside Coalition	DMCDP	Delta Mendota Canal at DPWD	09/Aug/2005			Westside Coalition	samplewater	Temperature	26.02 °C
Westside Coalition	541XSED12	Hospital Creek at Rd. 33	27/Aug/2004	16:30		UCD Phase II	samplewater	Oxygen, Dissolved	-88 mg/L
Westside Coalition	541XSED12	Hospital Creek at Rd. 33	27/Aug/2004	16:30		UCD Phase II	samplewater	pH	-88 units
Westside Coalition	541XSED12	Hospital Creek at Rd. 33	27/Aug/2004	16:30		UCD Phase II	samplewater	SpecificConductivity	-88 µS/cm
Westside Coalition	541XSED12	Hospital Creek at Rd. 33	27/Aug/2004	16:30		UCD Phase II	samplewater	Temperature	-88 °C
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004			Westside Coalition	samplewater	Oxygen, Dissolved	9.20 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004			Westside Coalition	samplewater	Oxygen, Dissolved	9.2 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004			Westside Coalition	samplewater	Oxygen, Dissolved	10.03 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004			Westside Coalition	samplewater	Oxygen, Dissolved	10.03 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Sep/2004			Westside Coalition	samplewater	Oxygen, Dissolved	9.68 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Sep/2004			Westside Coalition	samplewater	Oxygen, Dissolved	9.68 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004			Westside Coalition	samplewater	Oxygen, Dissolved	9.80 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004			Westside Coalition	samplewater	Oxygen, Dissolved	9.8 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004			Westside Coalition	samplewater	Oxygen, Dissolved	10.08 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004			Westside Coalition	samplewater	Oxygen, Dissolved	10.09 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/Nov/2004			Westside Coalition	samplewater	Oxygen, Dissolved	NR mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Dec/2004			Westside Coalition	samplewater	Oxygen, Dissolved	NR mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004			Westside Coalition	samplewater	Oxygen, Dissolved	8.50 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004			Westside Coalition	samplewater	Oxygen, Dissolved	8.5 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	11/Jan/2005			Westside Coalition	samplewater	Oxygen, Dissolved	NR mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	15/Feb/2005			Westside Coalition	samplewater	Oxygen, Dissolved	9.90 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/May/2005			Westside Coalition	samplewater	Oxygen, Dissolved	10.02 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Jun/2005			Westside Coalition	samplewater	Oxygen, Dissolved	9.80 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Jul/2005			Westside Coalition	samplewater	Oxygen, Dissolved	8.30 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/Aug/2005			Westside Coalition	samplewater	Oxygen, Dissolved	8.05 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2005			Westside Coalition	samplewater	Oxygen, Dissolved	8.68 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	11/Oct/2005			Westside Coalition	samplewater	Oxygen, Dissolved	10.70 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2005			Westside Coalition	samplewater	Oxygen, Dissolved	10.60 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	08/Nov/2005			Westside Coalition	samplewater	Oxygen, Dissolved	9.67 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	03/Jan/2006			Westside Coalition	samplewater	Oxygen, Dissolved	8.07 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Mar/2006			Westside Coalition	samplewater	Oxygen, Dissolved	7.60 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	05/Apr/2006			Westside Coalition	samplewater	Oxygen, Dissolved	5.05 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/May/2006			Westside Coalition	samplewater	Oxygen, Dissolved	10.08 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Jun/2006			Westside Coalition	samplewater	Oxygen, Dissolved	9.53 mg/L
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004			Westside Coalition	samplewater	pH	8.08 units
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004			Westside Coalition	samplewater	pH	8.03 units

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	557.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	554.60	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	382.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	267.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	268.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	316.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	78.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	268.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	05/Apr/2006		Westside Coalition	samplewater	SpecificConductance	149.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/May/2006		Westside Coalition	samplewater	SpecificConductance	153.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	103.00	uS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	680	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	700	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	791	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	906	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	791	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	NR	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	NR	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	186	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	11/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	NR	µS/cm
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	21.23	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	21.23	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	20.46	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	20.46	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	Temperature	17.78	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	Temperature	17.78	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.18	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.18	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	14.5	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	14.50	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Temperature	NR	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Temperature	NR	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Temperature	11.23	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Temperature	11.23	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	11/Jan/2005		Westside Coalition	samplewater	Temperature	NR	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	15/Feb/2005		Westside Coalition	samplewater	Temperature	12.30	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	10/May/2005		Westside Coalition	samplewater	Temperature	11.86	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	Temperature	20.12	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	Temperature	18.84	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	Temperature	22.14	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	Temperature	16.75	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	Temperature	16.25	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	Temperature	16.57	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	Temperature	15.30	°C
Westside Coalition	541XHCARR	Hospital Creek at River Road	03/Jan/2006						

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	pH	8.05	units
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	pH	7.47	units
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	pH	7.65	units
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	pH	7.67	units
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	pH	7.41	units
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	pH	6.9	units
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	pH	6.56	units
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	pH	6.9	units
Westside Coalition	541XICARR	Ingram Creek at River Road	08/Feb/2005		Westside Coalition	samplewater	pH	8.22	units
Westside Coalition	541XICARR	Ingram Creek at River Road	08/Mar/2005		Westside Coalition	samplewater	pH	8.39	units
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Apr/2005		Westside Coalition	samplewater	pH	7.71	units
Westside Coalition	541XICARR	Ingram Creek at River Road	10/May/2005		Westside Coalition	samplewater	pH	8.02	units
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	pH	9.46	units
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	pH	8.10	units
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	pH	7.68	units
Westside Coalition	541XICARR	Ingram Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	pH	7.82	units
Westside Coalition	541XICARR	Ingram Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	pH	8.22	units
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Dec/2005		Westside Coalition	samplewater	pH	7.23	units
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	pH	7.99	units
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	pH	8.29	units
Westside Coalition	541XICARR	Ingram Creek at River Road	09/May/2006		Westside Coalition	samplewater	pH	8.87	units
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	pH	7.53	units
Westside Coalition	541XICARR	Ingram Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductance	1003.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	817.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	1310.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	1151.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	729.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	352.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	SpecificConductance	650.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	SpecificConductance	425.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1428.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	15/Feb/2005		Westside Coalition	samplewater	SpecificConductance	183.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1467.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	621.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	10/May/2005		Westside Coalition	samplewater	SpecificConductance	460.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	304.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	595.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	578.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	563.00	uS/cm
Westside Coalition	541XICARR	Ingram Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	387.00	uS/cm

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XICARR	Ingram Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	Temperature	16.19	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.50	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Dec/2005		Westside Coalition	samplewater	Temperature	9.47	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	03/Jan/2006		Westside Coalition	samplewater	Temperature	9.09	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	Temperature	11.63	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	Temperature	9.82	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	04/Apr/2006		Westside Coalition	samplewater	Temperature	13.15	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	09/May/2006		Westside Coalition	samplewater	Temperature	15.58	°C
Westside Coalition	541XICARR	Ingram Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	Temperature	18.63	°C
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	27/Aug/2004	12:25	UCD Phase II	samplewater	Oxygen, Dissolved	5.75	mg/L
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22/Jun/2005	9:50	UCD Phase II	samplewater	Oxygen, Dissolved	6.7	mg/L
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	07/Jul/2005	10:20	UCD Phase II	samplewater	Oxygen, Dissolved	5.8	mg/L
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Jul/2005	9:20	UCD Phase II	samplewater	Oxygen, Dissolved	4.8	mg/L
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	03/Aug/2005	9:40	UCD Phase II	samplewater	Oxygen, Dissolved	4.3	mg/L
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Aug/2005	9:50	UCD Phase II	samplewater	Oxygen, Dissolved	-88	mg/L
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	27/Aug/2004	12:25	UCD Phase II	samplewater	pH	7.182	units
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22/Jun/2005	9:50	UCD Phase II	samplewater	pH	7.26	units
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	07/Jul/2005	10:20	UCD Phase II	samplewater	pH	7.28	units
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Jul/2005	9:20	UCD Phase II	samplewater	pH	7.41	units
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	03/Aug/2005	9:40	UCD Phase II	samplewater	pH	7.15	units
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Aug/2005	9:50	UCD Phase II	samplewater	pH	7.15	units
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	27/Aug/2004	12:25	UCD Phase II	samplewater	SpecificConductivity	417	µS/cm
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22/Jun/2005	9:50	UCD Phase II	samplewater	SpecificConductivity	360	µS/cm
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	07/Jul/2005	10:20	UCD Phase II	samplewater	SpecificConductivity	462	µS/cm
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Jul/2005	9:20	UCD Phase II	samplewater	SpecificConductivity	470	µS/cm
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	03/Aug/2005	9:40	UCD Phase II	samplewater	SpecificConductivity	473	µS/cm
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Aug/2005	9:50	UCD Phase II	samplewater	SpecificConductivity	325	µS/cm
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	27/Aug/2004	12:25	UCD Phase II	samplewater	Temperature	25.2	°C
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	22/Jun/2005	9:50	UCD Phase II	samplewater	Temperature	20.3	°C
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	07/Jul/2005	10:20	UCD Phase II	samplewater	Temperature	23.2	°C
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Jul/2005	9:20	UCD Phase II	samplewater	Temperature	23.8	°C
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	03/Aug/2005	9:40	UCD Phase II	samplewater	Temperature	22.8	°C
Westside Coalition	541XSSJ04	Island Field Drain at Catrina Rd	20/Aug/2005	9:50	UCD Phase II	samplewater	Temperature	22.5	°C
Westside Coalition	541XSED06	Juncture of Poso Drain and Pick	27/Aug/2004	10:40	UCD Phase II	samplewater	Oxygen, Dissolved	5.45	mg/L
Westside Coalition	541XSED06	Juncture of Poso Drain and Pick	27/Aug/2004	10:40	UCD Phase II	samplewater	pH	7.348	units
Westside Coalition	541XSED06	Juncture of Poso Drain and Pick	27/Aug/2004	10:40	UCD Phase II	samplewater	SpecificConductivity	835	µS/cm
Westside Coalition	541XSED06	Juncture of Poso Drain and Pick	27/Aug/2004	10:40	UCD Phase II	samplewater	Temperature	20.8	°C
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	0.41	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	0.41	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	0.50	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	0.5	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.78	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.78	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.73	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.73	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.43	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.43	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.92	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.92	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.31	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.31	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	3.03	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	07/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.21	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.14	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.31	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.55	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.62	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.51	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	0.00	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.43	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	3.98	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.78	mg/L
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Jul/2004		Westside Coalition	samplewater	pH	7.30	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	10/Aug/2004		Westside Coalition	samplewater	pH	8.08	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	13/Sep/2004		Westside Coalition	samplewater	pH	7.2	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Sep/2004		Westside Coalition	samplewater	pH	7.29	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Sep/2004		Westside Coalition	samplewater	pH	7.14	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Sep/2004		Westside Coalition	samplewater	pH	7.20	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	12/Oct/2004		Westside Coalition	samplewater	pH	7.78	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Oct/2004		Westside Coalition	samplewater	pH	7.11	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	09/Nov/2004		Westside Coalition	samplewater	pH	8.2	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Dec/2004		Westside Coalition	samplewater	pH	7.64	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Dec/2004		Westside Coalition	samplewater	pH	6.89	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	29/Dec/2004		Westside Coalition	samplewater	pH	6.8	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	29/Dec/2004		Westside Coalition	samplewater	pH	7.26	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	11/Jan/2005		Westside Coalition	samplewater	pH	7.44	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Jan/2005		Westside Coalition	samplewater	pH	7.54	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Feb/2005		Westside Coalition	samplewater	pH	7.58	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	16/Feb/2005		Westside Coalition	samplewater	pH	7.55	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	07/Mar/2005		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Mar/2005		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	10/May/2005		Westside Coalition	samplewater	pH	7.50	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Jun/2005		Westside Coalition	samplewater	pH	8.00	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Jul/2005		Westside Coalition	samplewater	pH	7.64	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	09/Aug/2005		Westside Coalition	samplewater	pH	7.25	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Sep/2005		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Oct/2005		Westside Coalition	samplewater	pH	8.53	units

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Oct/2005		Westside Coalition	samplewater	pH	8.53	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Nov/2005		Westside Coalition	samplewater	pH	7.56	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Dec/2005		Westside Coalition	samplewater	pH	7.24	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	03/Jan/2006		Westside Coalition	samplewater	pH	7.73	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Feb/2006		Westside Coalition	samplewater	pH	7.03	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	28/Feb/2006		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Mar/2006		Westside Coalition	samplewater	pH	7.45	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Mar/2006		Westside Coalition	samplewater	pH	7.39	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Apr/2006		Westside Coalition	samplewater	pH	7.99	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	09/May/2006		Westside Coalition	samplewater	pH	7.73	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Jun/2006		Westside Coalition	samplewater	pH	7.93	units
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	1009.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	1024.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	575.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	475.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	682.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	29/Dec/2004		Westside Coalition	samplewater	SpecificConductance	526.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Jan/2005		Westside Coalition	samplewater	SpecificConductance	792.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	987.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	07/Mar/2005		Westside Coalition	samplewater	SpecificConductance	440.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	433.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	2046.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	10/May/2005		Westside Coalition	samplewater	SpecificConductance	1042.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	941.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	337.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	0.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	191.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	10/Mar/2006		Westside Coalition	samplewater	SpecificConductance	1542.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	11/Apr/2006		Westside Coalition	samplewater	SpecificConductance	1383.00	uS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	1009	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	1024	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	575	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	475	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	6.82	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	29/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	526	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	11/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	792	µS/cm
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.41	°C
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.41	°C
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.35	°C
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.35	°C
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.73	°C
Westside Coalition	541XLBCCC	Los Banos Creek at China Camp Ro	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.73	°C
Westside Coalition	541XLBCCC								





Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Jul/2004		Westside Coalition	samplewater	Temperature	22.14	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Jul/2004		Westside Coalition	samplewater	Temperature	22.14	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Temperature	21.45	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/Aug/2004		Westside Coalition	samplewater	Temperature	21.45	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.01	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.01	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.84	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.84	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.22	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.22	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.44	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.44	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.73	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.73	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Temperature	8.82	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Dec/2004		Westside Coalition	samplewater	Temperature	8.82	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.09	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.09	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	08/Feb/2005		Westside Coalition	samplewater	Temperature	12.26	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	16/Feb/2005		Westside Coalition	samplewater	Temperature	13.38	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	07/Mar/2005		Westside Coalition	samplewater	Temperature	16.99	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	08/Mar/2005		Westside Coalition	samplewater	Temperature	16.70	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Apr/2005		Westside Coalition	samplewater	Temperature	16.01	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	10/May/2005		Westside Coalition	samplewater	Temperature	15.94	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Jun/2005		Westside Coalition	samplewater	Temperature	22.44	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Jul/2005		Westside Coalition	samplewater	Temperature	24.63	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	09/Aug/2005		Westside Coalition	samplewater	Temperature	24.37	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Sep/2005		Westside Coalition	samplewater	Temperature	17.83	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Oct/2005		Westside Coalition	samplewater	Temperature	19.14	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	12/Oct/2005		Westside Coalition	samplewater	Temperature	18.03	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.07	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Dec/2005		Westside Coalition	samplewater	Temperature	9.27	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	03/Jan/2006		Westside Coalition	samplewater	Temperature	10.28	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Feb/2006		Westside Coalition	samplewater	Temperature	13.88	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	28/Feb/2006		Westside Coalition	samplewater	Temperature	13.77	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Mar/2006		Westside Coalition	samplewater	Temperature	10.16	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	14/Mar/2006		Westside Coalition	samplewater	Temperature	11.01	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	11/Apr/2006		Westside Coalition	samplewater	Temperature	14.66	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	09/May/2006		Westside Coalition	samplewater	Temperature	19.31	°C
Westside Coalition	541XLBCHW	Los Banos Creek at Highway 140	13/Jun/2006		Westside Coalition	samplewater	Temperature	19.63	°C
Westside Coalition	541XSSJ05	Main Canal at Badger Flat Road	27/Aug/2004	9:50	UCD Phase II	samplewater	Oxygen, Dissolved	7.68	mg/L
Westside Coalition	541XSSJ05	Main Canal at Badger Flat Road	27/Aug/2004	9:50	UCD Phase II	samplewater	pH	7.776	units
Westside Coalition	541XSSJ05	Main Canal at Badger Flat Road	27/Aug/2004	9:50	UCD Phase II	samplewater	SpecificConductivity	306	µS/cm
Westside Coalition	541XSSJ05	Main Canal at Badger Flat Road	27/Aug/2004	9:50	UCD Phase II	samplewater	Temperature	23.1	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.58	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.58	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.26	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.26	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.06	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.06	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	11.76	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	11.76	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	NR	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	NR	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.00	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.6	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.35	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.35	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.84	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.78	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.62	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.64	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.57	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	15/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.07	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.06	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.46	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.03	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	11.05	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	04/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.83	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.43	mg/L
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	pH	8.04	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	pH	8.02	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	pH	8.08	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	pH	8.12	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	pH	8.07	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	pH	7.62	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Nov/2004		Westside Coalition	samplewater	pH	NR	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Nov/2004		Westside Coalition	samplewater	pH	7.29	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Dec/2004		Westside Coalition	samplewater	pH	NR	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Dec/2004		Westside Coalition	samplewater	pH	7.40	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	29/Dec/2004		Westside Coalition	samplewater	pH	6.79	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	pH	7.39	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	pH	7.44	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	pH	6.8	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	pH	6.66	units

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Feb/2005		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	16/Feb/2005		Westside Coalition	samplewater	pH	7.84	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	07/Mar/2005		Westside Coalition	samplewater	pH	8.45	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Apr/2005		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/May/2005		Westside Coalition	samplewater	pH	8.00	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Jun/2005		Westside Coalition	samplewater	pH	7.98	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jul/2005		Westside Coalition	samplewater	pH	8.79	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	15/Jul/2005		Westside Coalition	samplewater	pH	7.89	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Aug/2005		Westside Coalition	samplewater	pH	8.11	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2005		Westside Coalition	samplewater	pH	7.28	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	11/Oct/2005		Westside Coalition	samplewater	pH	7.40	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Nov/2005		Westside Coalition	samplewater	pH	7.70	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Dec/2005		Westside Coalition	samplewater	pH	7.58	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	03/Jan/2006		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Jan/2006		Westside Coalition	samplewater	pH	7.65	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Feb/2006		Westside Coalition	samplewater	pH	7.84	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Mar/2006		Westside Coalition	samplewater	pH	7.83	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	04/Apr/2006		Westside Coalition	samplewater	pH	7.79	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/May/2006		Westside Coalition	samplewater	pH	7.59	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Jun/2006		Westside Coalition	samplewater	pH	8.08	units
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductance	1181.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	1081.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	891.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	1161.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	SpecificConductance	219.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	SpecificConductance	147.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	386.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	131.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/May/2005		Westside Coalition	samplewater	SpecificConductance	396.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	287.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	600.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	15/Jul/2005		Westside Coalition	samplewater	SpecificConductance	1145.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	577.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	750.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	403.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	149.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	04/Apr/2006		Westside Coalition	samplewater	SpecificConductance	145.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	129.00	uS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	1181	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	1081	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	891	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	1161	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	NR	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	NR	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	219	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	147	µS/cm
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	26.86	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	26.86	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.04	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.04	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.54	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	19.54	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.9	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.90	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Nov/2004		Westside Coalition	samplewater	Temperature	NR	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Dec/2004		Westside Coalition	samplewater	Temperature	NR	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Temperature	11.9	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Jan/2005		Westside Coalition	samplewater	Temperature	11.90	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jan/2005		Westside Coalition	samplewater	Temperature	8.7	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	08/Feb/2005		Westside Coalition	samplewater	Temperature	12.38	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	16/Feb/2005		Westside Coalition	samplewater	Temperature	12.10	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	10/May/2005		Westside Coalition	samplewater	Temperature	16.07	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Jun/2005		Westside Coalition	samplewater	Temperature	20.79	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	12/Jul/2005		Westside Coalition	samplewater	Temperature	23.42	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	15/Jul/2005		Westside Coalition	samplewater	Temperature	28.16	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	09/Aug/2005		Westside Coalition	samplewater	Temperature	24.76	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	14/Sep/2005		Westside Coalition	samplewater	Temperature	18.18	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Dec/2005		Westside Coalition	samplewater	Temperature	10.58	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	03/Jan/2006		Westside Coalition	samplewater	Temperature	9.88	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	04/Apr/2006		Westside Coalition	samplewater	Temperature	13.27	°C
Westside Coalition	541XMRDRR	Marshal Road Drain nr River Road	13/Jun/2006		Westside Coalition	samplewater	Temperature	19.91	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.00	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.40	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.9	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.89	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.89	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.55	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.55	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	5.60	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	5.6	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.21	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.21	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.90	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.9	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	28/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.23	mg/L

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	28/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.23	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.42	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.42	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.90	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.99	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 07/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.50	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.20	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.86	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.06	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.57	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.85	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.83	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.71	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.35	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.75	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.75	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.14	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.08	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.32	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 28/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	10.49	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.78	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.89	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.02	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.26	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.70	mg/L
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	13/Jul/2004		Westside Coalition	samplewater	pH	7.68	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Jul/2004		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	10/Aug/2004		Westside Coalition	samplewater	pH	7.06	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 10/Aug/2004		Westside Coalition	samplewater	pH	7.34	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	13/Sep/2004		Westside Coalition	samplewater	pH	7.48	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Sep/2004		Westside Coalition	samplewater	pH	7.78	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	14/Sep/2004		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Sep/2004		Westside Coalition	samplewater	pH	8.04	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	12/Oct/2004		Westside Coalition	samplewater	pH	7.74	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Oct/2004		Westside Coalition	samplewater	pH	8.16	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	09/Nov/2004		Westside Coalition	samplewater	pH	7.72	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/Nov/2004		Westside Coalition	samplewater	pH	8.26	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	14/Dec/2004		Westside Coalition	samplewater	pH	7.69	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Dec/2004		Westside Coalition	samplewater	pH	7.84	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	28/Dec/2004		Westside Coalition	samplewater	pH	7.4	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 28/Dec/2004		Westside Coalition	samplewater	pH	7.59	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	11/Jan/2005		Westside Coalition	samplewater	pH	7.54	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Jan/2005		Westside Coalition	samplewater	pH	7.35	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Feb/2005		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 16/Feb/2005		Westside Coalition	samplewater	pH	7.59	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 07/Mar/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Mar/2005		Westside Coalition	samplewater	pH	7.42	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Apr/2005		Westside Coalition	samplewater	pH	7.48	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 10/May/2005		Westside Coalition	samplewater	pH	7.22	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Jun/2005		Westside Coalition	samplewater	pH	7.02	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Jul/2005		Westside Coalition	samplewater	pH	5.97	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/Aug/2005		Westside Coalition	samplewater	pH	7.13	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Sep/2005		Westside Coalition	samplewater	pH	7.60	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Oct/2005		Westside Coalition	samplewater	pH	6.18	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Oct/2005		Westside Coalition	samplewater	pH	7.95	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Nov/2005		Westside Coalition	samplewater	pH	7.44	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Dec/2005		Westside Coalition	samplewater	pH	7.20	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 03/Jan/2006		Westside Coalition	samplewater	pH	7.22	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Feb/2006		Westside Coalition	samplewater	pH	6.94	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 28/Feb/2006		Westside Coalition	samplewater	pH	7.62	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Mar/2006		Westside Coalition	samplewater	pH	6.62	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Mar/2006		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Apr/2006		Westside Coalition	samplewater	pH	7.76	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/May/2006		Westside Coalition	samplewater	pH	6.98	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Jun/2006		Westside Coalition	samplewater	pH	6.43	units
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Jul/2004		Westside Coalition	samplewater	SpecificConductance	1139.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	979.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	767.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	714.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	779.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	847.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1334.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 28/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1160.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Jan/2005		Westside Coalition	samplewater	SpecificConductance	1519.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1807.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1503.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 07/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1133.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1128.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	2840.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 10/May/2005		Westside Coalition	samplewater	SpecificConductance	1786.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	1380.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	824.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	1004.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	605.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	606.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	670.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	D 08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	893.00	uS/cm

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	1067.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	1001.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	1765.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	28/Feb/2006		Westside Coalition	samplewater	SpecificConductance	1473.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	1588.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Mar/2006		Westside Coalition	samplewater	SpecificConductance	1643.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	11/Apr/2006		Westside Coalition	samplewater	SpecificConductance	2461.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	09/May/2006		Westside Coalition	samplewater	SpecificConductance	415.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	797.00	uS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	13/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	1139	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	979	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	767	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	714	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	779	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	847	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	1334	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	28/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	1160	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	11/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	1519	µS/cm
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	13/Jul/2004		Westside Coalition	samplewater	Temperature	25.37	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Jul/2004		Westside Coalition	samplewater	Temperature	25.37	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	10/Aug/2004		Westside Coalition	samplewater	Temperature	25.57	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	10/Aug/2004		Westside Coalition	samplewater	Temperature	25.57	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	13/Sep/2004		Westside Coalition	samplewater	Temperature	21.19	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Sep/2004		Westside Coalition	samplewater	Temperature	21.19	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.95	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.95	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.52	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.52	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	09/Nov/2004		Westside Coalition	samplewater	Temperature	14.17	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	09/Nov/2004		Westside Coalition	samplewater	Temperature	14.17	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	14/Dec/2004		Westside Coalition	samplewater	Temperature	12.21	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Dec/2004		Westside Coalition	samplewater	Temperature	12.21	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	28/Dec/2004		Westside Coalition	samplewater	Temperature	9.27	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	28/Dec/2004		Westside Coalition	samplewater	Temperature	9.27	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.32	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.32	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	08/Feb/2005		Westside Coalition	samplewater	Temperature	12.89	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	16/Feb/2005		Westside Coalition	samplewater	Temperature	13.33	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	07/Mar/2005		Westside Coalition	samplewater	Temperature	17.16	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	08/Mar/2005		Westside Coalition	samplewater	Temperature	16.48	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	12/Apr/2005		Westside Coalition	samplewater	Temperature	18.45	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	10/May/2005		Westside Coalition	samplewater	Temperature	18.22	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Jun/2005		Westside Coalition	samplewater	Temperature	25.26	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	12/Jul/2005		Westside Coalition	samplewater	Temperature	27.94	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	09/Aug/2005		Westside Coalition	samplewater	Temperature	27.76	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Sep/2005		Westside Coalition	samplewater	Temperature	20.92	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	11/Oct/2005		Westside Coalition	samplewater	Temperature	18.17	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	12/Oct/2005		Westside Coalition	samplewater	Temperature	18.46	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	08/Nov/2005		Westside Coalition	samplewater	Temperature	15.28	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Dec/2005		Westside Coalition	samplewater	Temperature	10.26	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	03/Jan/2006		Westside Coalition	samplewater	Temperature	10.27	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Feb/2006		Westside Coalition	samplewater	Temperature	14.99	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	28/Feb/2006		Westside Coalition	samplewater	Temperature	12.68	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Mar/2006		Westside Coalition	samplewater	Temperature	12.19	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	14/Mar/2006		Westside Coalition	samplewater	Temperature	11.02	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	11/Apr/2006		Westside Coalition	samplewater	Temperature	15.53	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	09/May/2006		Westside Coalition	samplewater	Temperature	21.29	°C
Westside Coalition	541XMSUSL	Mud Slough Upstream of San Luis D	13/Jun/2006		Westside Coalition	samplewater	Temperature	21.70	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	1.57	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	1.56	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	2.48	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	2.48	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	4.32	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	4.32	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	4.45	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	4.45	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.02	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	6.02	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	4.88	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	4.88	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.01	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.01	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.78	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.00	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.55	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.75	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.06	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	4.67	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	4.40	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	3.02	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	3.14	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.00	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.82	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.82	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.44	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.44	mg/L

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.83	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.88	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.19	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.56	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.41	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.69	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.17	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.37	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	17/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	5.14	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.87	mg/L
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	pH	7.33	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	pH	7.79	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	pH	7.37	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	pH	7.29	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	pH	7.76	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	pH	7.25	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	pH	7.14	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	pH	7.11	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	pH	7.58	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	pH	7.55	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	pH	6.89	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	pH	8.08	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Dec/2004		Westside Coalition	samplewater	pH	7.23	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	pH	7.54	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	pH	7.38	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Feb/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	16/Feb/2005		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Mar/2005		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Apr/2005		Westside Coalition	samplewater	pH	8.08	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/May/2005		Westside Coalition	samplewater	pH	8.21	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Jun/2005		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Jul/2005		Westside Coalition	samplewater	pH	8.05	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Aug/2005		Westside Coalition	samplewater	pH	7.67	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2005		Westside Coalition	samplewater	pH	7.38	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	pH	6.91	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	pH	7.30	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	pH	7.06	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	pH	7.56	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Dec/2005		Westside Coalition	samplewater	pH	7.07	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	03/Jan/2006		Westside Coalition	samplewater	pH	7.28	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Feb/2006		Westside Coalition	samplewater	pH	7.30	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Feb/2006		Westside Coalition	samplewater	pH	7.45	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Mar/2006		Westside Coalition	samplewater	pH	7.25	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Mar/2006		Westside Coalition	samplewater	pH	6.95	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Apr/2006		Westside Coalition	samplewater	pH	7.65	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/May/2006		Westside Coalition	samplewater	pH	7.45	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	17/May/2006		Westside Coalition	samplewater	pH	7.67	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jun/2006		Westside Coalition	samplewater	pH	7.15	units
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	SpecificConductance	1252.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	1197.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	850.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	888.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	1227.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	1251.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1852.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1028.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	SpecificConductance	1274.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1779.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	648.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1506.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/May/2005		Westside Coalition	samplewater	SpecificConductance	1191.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	1057.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	910.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	900.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	1071.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	980.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	980.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	1045.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	1045.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	1169.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	410.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	1443.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Feb/2006		Westside Coalition	samplewater	SpecificConductance	828.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	1040.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Mar/2006		Westside Coalition	samplewater	SpecificConductance	975.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Apr/2006		Westside Coalition	samplewater	SpecificConductance	306.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/May/2006		Westside Coalition	samplewater	SpecificConductance	283.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	17/May/2006		Westside Coalition	samplewater	SpecificConductance	501.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	558.00	uS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	1251	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	1197	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	850	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	888	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	1227	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	1251	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	1852	µS/cm

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	1274	µS/cm
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	Temperature	22.15	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jul/2004		Westside Coalition	samplewater	Temperature	22.18	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.78	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.78	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.45	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Sep/2004		Westside Coalition	samplewater	Temperature	20.45	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.26	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.26	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	Temperature	15.82	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2004		Westside Coalition	samplewater	Temperature	15.82	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.46	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.46	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.8	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.80	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Dec/2004		Westside Coalition	samplewater	Temperature	9.77	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.9	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.90	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Feb/2005		Westside Coalition	samplewater	Temperature	12.73	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	16/Feb/2005		Westside Coalition	samplewater	Temperature	12.09	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Mar/2005		Westside Coalition	samplewater	Temperature	15.63	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	10/May/2005		Westside Coalition	samplewater	Temperature	16.14	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Jun/2005		Westside Coalition	samplewater	Temperature	22.78	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Jul/2005		Westside Coalition	samplewater	Temperature	24.33	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/Aug/2005		Westside Coalition	samplewater	Temperature	24.20	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Sep/2005		Westside Coalition	samplewater	Temperature	17.42	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	Temperature	16.54	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	12/Oct/2005		Westside Coalition	samplewater	Temperature	16.54	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.06	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.06	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Dec/2005		Westside Coalition	samplewater	Temperature	8.43	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	03/Jan/2006		Westside Coalition	samplewater	Temperature	9.98	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Feb/2006		Westside Coalition	samplewater	Temperature	12.24	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	28/Feb/2006		Westside Coalition	samplewater	Temperature	12.55	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Mar/2006		Westside Coalition	samplewater	Temperature	10.97	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	14/Mar/2006		Westside Coalition	samplewater	Temperature	11.46	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	11/Apr/2006		Westside Coalition	samplewater	Temperature	16.23	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	09/May/2006		Westside Coalition	samplewater	Temperature	21.94	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	17/May/2006		Westside Coalition	samplewater	Temperature	25.93	°C
Westside Coalition	541XNWHFR	Newman Wasteway near Hills Ferry	13/Jun/2006		Westside Coalition	samplewater	Temperature	23.65	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.68	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.68	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.77	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.77	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.83	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.83	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.79	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.79	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	11.17	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	11.17	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	14.00	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	14	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	12.13	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	12.13	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.40	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.4	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	13.14	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	13.14	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	13.87	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.40	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.30	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.22	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.22	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.04	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.32	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.85	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.76	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.68	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.94	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.79	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.95	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	12.35	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.35	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.52	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	12.50	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	11.40	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	04/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	10.67	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.53	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.36	mg/L
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	pH	7.83	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	pH	7.9	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	pH	7.37	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	pH	8.64	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	pH	7.90	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	pH	7.6	units

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	pH	7.7	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	pH	7.54	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	pH	7.14	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	pH	6.89	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	pH	6.85	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	pH	8.20	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Feb/2005		Westside Coalition	samplewater	pH	7.40	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Feb/2005		Westside Coalition	samplewater	pH	7.76	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Mar/2005		Westside Coalition	samplewater	pH	7.89	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/May/2005		Westside Coalition	samplewater	pH	7.70	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Jun/2005		Westside Coalition	samplewater	pH	7.80	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jul/2005		Westside Coalition	samplewater	pH	7.73	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Aug/2005		Westside Coalition	samplewater	pH	7.10	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2005		Westside Coalition	samplewater	pH	7.25	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	11/Oct/2005		Westside Coalition	samplewater	pH	6.68	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2005		Westside Coalition	samplewater	pH	0.00	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Dec/2005		Westside Coalition	samplewater	pH	7.65	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Feb/2006		Westside Coalition	samplewater	pH	7.25	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Mar/2006		Westside Coalition	samplewater	pH	7.10	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	04/Apr/2006		Westside Coalition	samplewater	pH	7.83	units
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	SpecificConductance	752.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	758.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	706.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	923.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	408.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	392.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	425.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	SpecificConductance	371.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	SpecificConductance	155.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	480.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	198.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	554.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	408.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/May/2005		Westside Coalition	samplewater	SpecificConductance	472.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	548.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	393.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	482.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Aug/2005		Westside Coalition	samplewater	SpecificConductance	501.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	520.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	343.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	347.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	327.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	444.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	190.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	242.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	380.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Mar/2006		Westside Coalition	samplewater	SpecificConductance	398.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	04/Apr/2006		Westside Coalition	samplewater	SpecificConductance	269.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/May/2006		Westside Coalition	samplewater	SpecificConductance	136.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	142.00	uS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	752	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	758	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	706	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	923	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	408	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	392	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	425	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	371	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	155	µS/cm
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Temperature	29.04	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	06/Jul/2004		Westside Coalition	samplewater	Temperature	29.04	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.7	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.70	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Temperature	22.76	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Sep/2004		Westside Coalition	samplewater	Temperature	22.76	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.24	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2004		Westside Coalition	samplewater	Temperature	20.24	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Temperature	17.72	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2004		Westside Coalition	samplewater	Temperature	12.22	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Temperature	14.15	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Nov/2004		Westside Coalition	samplewater	Temperature	14.15	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	Temperature	12.2	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Dec/2004		Westside Coalition	samplewater	Temperature	12.20	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Temperature	12.13	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	29/Dec/2004		Westside Coalition	samplewater	Temperature	12.13	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Temperature	9.83	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jan/2005		Westside Coalition	samplewater	Temperature	8.83	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Feb/2005		Westside Coalition	samplewater	Temperature	13.53	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Feb/2005		Westside Coalition	samplewater	Temperature	12.05	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Mar/2005		Westside Coalition	samplewater	Temperature	19.01	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Apr/2005		Westside Coalition	samplewater	Temperature	18.39	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	10/May/2005		Westside Coalition	samplewater	Temperature	20.05	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Jun/2005		Westside Coalition	samplewater	Temperature	24.31	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Jul/2005		Westside Coalition	samplewater	Temperature	29.31	°C



Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/Aug/2005		Westside Coalition	samplewater	Temperature	27.34	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	16/Aug/2005		Westside Coalition	samplewater	Temperature	28.64	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Sep/2005		Westside Coalition	samplewater	Temperature	20.64	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	11/Oct/2005		Westside Coalition	samplewater	Temperature	18.24	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	12/Oct/2005		Westside Coalition	samplewater	Temperature	20.07	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.68	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Dec/2005		Westside Coalition	samplewater	Temperature	10.82	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	03/Jan/2006		Westside Coalition	samplewater	Temperature	10.68	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Feb/2006		Westside Coalition	samplewater	Temperature	12.64	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Mar/2006		Westside Coalition	samplewater	Temperature	11.34	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	14/Mar/2006		Westside Coalition	samplewater	Temperature	11.34	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	04/Apr/2006		Westside Coalition	samplewater	Temperature	14.68	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	09/May/2006		Westside Coalition	samplewater	Temperature	20.94	°C
Westside Coalition	541XOCAHW	Orestimba Creek at Highway 33	13/Jun/2006		Westside Coalition	samplewater	Temperature	22.26	°C
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15/Jul/2004	13:40	UCD Phase II	samplewater	Oxygen, Dissolved	6.4	mg/L
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29/Jul/2004	15:00	UCD Phase II	samplewater	Oxygen, Dissolved	7.1	mg/L
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Aug/2004	9:40	UCD Phase II	samplewater	Oxygen, Dissolved	8	mg/L
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26/Aug/2004	13:00	UCD Phase II	samplewater	Oxygen, Dissolved	10.9	mg/L
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	09/Sep/2004	12:40	UCD Phase II	samplewater	Oxygen, Dissolved	14.4	mg/L
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Apr/2005	12:35	UCD Phase II	samplewater	Oxygen, Dissolved	8.9	mg/L
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15/Jul/2004	13:40	UCD Phase II	samplewater	pH	7.91	units
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29/Jul/2004	15:00	UCD Phase II	samplewater	pH	7.84	units
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Aug/2004	9:40	UCD Phase II	samplewater	pH	7.99	units
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26/Aug/2004	13:00	UCD Phase II	samplewater	pH	7.96	units
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	09/Sep/2004	12:40	UCD Phase II	samplewater	pH	7.99	units
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Apr/2005	12:35	UCD Phase II	samplewater	pH	7.66	units
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15/Jul/2004	13:40	UCD Phase II	samplewater	SpecificConductivity	584	µS/cm
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29/Jul/2004	15:00	UCD Phase II	samplewater	SpecificConductivity	592	µS/cm
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Aug/2004	9:40	UCD Phase II	samplewater	SpecificConductivity	796	µS/cm
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26/Aug/2004	13:00	UCD Phase II	samplewater	SpecificConductivity	775	µS/cm
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	09/Sep/2004	12:40	UCD Phase II	samplewater	SpecificConductivity	937	µS/cm
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Apr/2005	12:35	UCD Phase II	samplewater	SpecificConductivity	537	µS/cm
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	15/Jul/2004	13:40	UCD Phase II	samplewater	Temperature	23.2	°C
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	29/Jul/2004	15:00	UCD Phase II	samplewater	Temperature	24	°C
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Aug/2004	9:40	UCD Phase II	samplewater	Temperature	22.5	°C
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	26/Aug/2004	13:00	UCD Phase II	samplewater	Temperature	21.9	°C
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	09/Sep/2004	12:40	UCD Phase II	samplewater	Temperature	22.8	°C
Westside Coalition	541XNSJ18	Orestimba Creek at Kilburn Road	12/Apr/2005	12:35	UCD Phase II	samplewater	Temperature	17.5	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.90	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.9	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.66	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.66	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.11	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.11	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.59	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.59	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.80	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.8	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	16.10	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Oxygen, Dissolved	16.1	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	18.40	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.4	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.30	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	9.3	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.99	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.99	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.70	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.34	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.25	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.27	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.23	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.23	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.38	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.66	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.01	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.54	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.60	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	12.40	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	11.77	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	10.60	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	11.81	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	11.38	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	11.38	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	12.12	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	10.50	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	04/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.78	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.26	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.63	mg/L
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	pH	7.83	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	pH	8.02	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	pH	7.90	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	pH	8.1	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	pH	8.12	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	pH	7.62	units

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	pH	7.60	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	pH	7.29	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	pH	7.70	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	pH	6.89	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	pH	7.64	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	pH	6.79	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	pH	6.66	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	pH	6.85	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Feb/2005		Westside Coalition	samplewater	pH	7.99	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16/Feb/2005		Westside Coalition	samplewater	pH	7.89	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Mar/2005		Westside Coalition	samplewater	pH	8.61	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Apr/2005		Westside Coalition	samplewater	pH	8.09	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	pH	8.02	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	pH	8.31	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	22/Jun/2005		Westside Coalition	samplewater	pH	7.94	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	pH	7.95	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	pH	8.06	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	pH	7.15	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	pH	7.68	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	pH	7.79	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Dec/2005		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	03/Jan/2006		Westside Coalition	samplewater	pH	7.56	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	pH	7.84	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	pH	7.90	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Mar/2006		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	04/Apr/2006		Westside Coalition	samplewater	pH	8.15	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/May/2006		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	pH	8.04	units
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductance	825.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	648.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	654.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	648.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	430.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	411.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	559.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	SpecificConductance	352.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	SpecificConductance	145.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	458.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	218.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	556.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	440.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	SpecificConductance	509.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	SpecificConductance	509.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	451.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	524.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	543.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	535.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	355.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	368.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	335.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	460.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	184.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	335.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	335.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	384.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Mar/2006		Westside Coalition	samplewater	SpecificConductance	375.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	04/Apr/2006		Westside Coalition	samplewater	SpecificConductance	277.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/May/2006		Westside Coalition	samplewater	SpecificConductance	163.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	207.00	uS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	825	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	648	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	654	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	648	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	430	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	411	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	559	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	352	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	145	µS/cm
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	26.5	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	26.50	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.11	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	22.11	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	Temperature	18.53	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Sep/2004		Westside Coalition	samplewater	Temperature	18.53	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	17.72	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	17.72	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	14.7	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	14.70	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.73	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Nov/2004		Westside Coalition	samplewater	Temperature	13.73	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Temperature	0.4875	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.42	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Temperature	9.55	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	29/Dec/2004		Westside Coalition	samplewater	Temperature	9.55	°C

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Temperature	8.75	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jan/2005		Westside Coalition	samplewater	Temperature	8.75	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Feb/2005		Westside Coalition	samplewater	Temperature	13.01	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	16/Feb/2005		Westside Coalition	samplewater	Temperature	12.20	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Mar/2005		Westside Coalition	samplewater	Temperature	17.01	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Apr/2005		Westside Coalition	samplewater	Temperature	15.95	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	Temperature	17.34	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	10/May/2005		Westside Coalition	samplewater	Temperature	17.34	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Jun/2005		Westside Coalition	samplewater	Temperature	22.82	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Jul/2005		Westside Coalition	samplewater	Temperature	25.26	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/Aug/2005		Westside Coalition	samplewater	Temperature	24.17	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Sep/2005		Westside Coalition	samplewater	Temperature	16.66	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	11/Oct/2005		Westside Coalition	samplewater	Temperature	12.04	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	12/Oct/2005		Westside Coalition	samplewater	Temperature	18.28	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.39	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Dec/2005		Westside Coalition	samplewater	Temperature	9.50	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	03/Jan/2006		Westside Coalition	samplewater	Temperature	10.77	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	Temperature	11.32	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Feb/2006		Westside Coalition	samplewater	Temperature	11.32	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Mar/2006		Westside Coalition	samplewater	Temperature	10.23	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	14/Mar/2006		Westside Coalition	samplewater	Temperature	10.28	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	04/Apr/2006		Westside Coalition	samplewater	Temperature	19.97	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	09/May/2006		Westside Coalition	samplewater	Temperature	14.27	°C
Westside Coalition	541XOCARR	Orestimba Creek at River Road	13/Jun/2006		Westside Coalition	samplewater	Temperature	20.72	°C
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	15/Jul/2004	9:50	UCD Phase II	samplewater	Oxygen, Dissolved	4.6	mg/L
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	29/Jul/2004	9:50	UCD Phase II	samplewater	Oxygen, Dissolved	5.5	mg/L
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	12/Aug/2004	14:30	UCD Phase II	samplewater	Oxygen, Dissolved	4.9	mg/L
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	26/Aug/2004	10:40	UCD Phase II	samplewater	Oxygen, Dissolved	8.8	mg/L
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	09/Sep/2004	10:20	UCD Phase II	samplewater	Oxygen, Dissolved	4.2	mg/L
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	15/Jul/2004	9:50	UCD Phase II	samplewater	pH	7.41	units
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	29/Jul/2004	9:50	UCD Phase II	samplewater	pH	7.23	units
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	12/Aug/2004	14:30	UCD Phase II	samplewater	pH	7.36	units
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	26/Aug/2004	10:40	UCD Phase II	samplewater	pH	7.41	units
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	09/Sep/2004	10:20	UCD Phase II	samplewater	pH	7.45	units
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	15/Jul/2004	9:50	UCD Phase II	samplewater	SpecificConductivity	657	µS/cm
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	29/Jul/2004	9:50	UCD Phase II	samplewater	SpecificConductivity	703	µS/cm
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	12/Aug/2004	14:30	UCD Phase II	samplewater	SpecificConductivity	656	µS/cm
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	26/Aug/2004	10:40	UCD Phase II	samplewater	SpecificConductivity	939	µS/cm
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	09/Sep/2004	10:20	UCD Phase II	samplewater	SpecificConductivity	964	µS/cm
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	15/Jul/2004	9:50	UCD Phase II	samplewater	Temperature	22.2	°C
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	29/Jul/2004	9:50	UCD Phase II	samplewater	Temperature	21.4	°C
Westside Coalition	541XSSJ08	Poso Drain at NE corner of Turner	12/Aug/2004	14:30	UCD Phase II	samplewater	Temperature	27.2	



Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.12	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	Oxygen, Dissolved	10.12	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.93	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.93	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.34	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16/Feb/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.78	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	07/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.76	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.48	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Mar/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.60	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.08	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.03	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.52	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.18	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.71	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.86	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.41	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.01	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.80	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.78	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.10	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.42	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	23/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.33	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.09	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.71	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.68	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.04	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.07	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.64	mg/L
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Jul/2004		Westside Coalition	samplewater	pH	7.6	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Jul/2004		Westside Coalition	samplewater	pH	7.68	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	pH	7.73	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	pH	7.06	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Sep/2004		Westside Coalition	samplewater	pH	8.17	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Sep/2004		Westside Coalition	samplewater	pH	7.48	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	pH	8.04	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	pH	8.28	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	pH	7.74	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Nov/2004		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Nov/2004		Westside Coalition	samplewater	pH	7.72	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	pH	7.67	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	pH	7.69	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	pH	7.43	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	pH	7.40	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	pH	7.45	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	pH	7.54	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Feb/2005		Westside Coalition	samplewater	pH	7.59	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	07/Mar/2005		Westside Coalition	samplewater	pH	7.56	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Mar/2005		Westside Coalition	samplewater	pH	7.60	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Mar/2005		Westside Coalition	samplewater	pH	8.23	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Apr/2005		Westside Coalition	samplewater	pH	8.49	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/May/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Jun/2005		Westside Coalition	samplewater	pH	7.81	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Jul/2005		Westside Coalition	samplewater	pH	8.45	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Aug/2005		Westside Coalition	samplewater	pH	7.99	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2005		Westside Coalition	samplewater	pH	8.01	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Oct/2005		Westside Coalition	samplewater	pH	7.52	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2005		Westside Coalition	samplewater	pH	7.43	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Nov/2005		Westside Coalition	samplewater	pH	7.93	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Dec/2005		Westside Coalition	samplewater	pH	7.23	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	03/Jan/2006		Westside Coalition	samplewater	pH	7.41	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Feb/2006		Westside Coalition	samplewater	pH	7.50	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Feb/2006		Westside Coalition	samplewater	pH	7.25	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Mar/2006		Westside Coalition	samplewater	pH	7.58	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Mar/2006		Westside Coalition	samplewater	pH	8.14	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Apr/2006		Westside Coalition	samplewater	pH	8.16	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/May/2006		Westside Coalition	samplewater	pH	7.61	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Jun/2006		Westside Coalition	samplewater	pH	8.00	units
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Jul/2004		Westside Coalition	samplewater	SpecificConductance	973.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	1041.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	844.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	864.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	1182.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	1103.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1717.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	28/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1493.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Jan/2005		Westside Coalition	samplewater	SpecificConductance	1691.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1735.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1175.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	07/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1256.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1277.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	11/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1519.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	1886.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	10/May/2005		Westside Coalition	samplewater	SpecificConductance	1417.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	734.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	800.00	uS/cm
Westside Coalition	541XSSALA	Salt Slough at Lander Ave	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	742.00	uS/cm

[illegible]

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Apr/2005		Westside Coalition	samplewater	Oxygen, Dissolved	8.95	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/May/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.24	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Jun/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.14	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Jul/2005		Westside Coalition	samplewater	Oxygen, Dissolved	6.35	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.26	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.23	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.04	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.48	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	9.74	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Nov/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.04	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Dec/2005		Westside Coalition	samplewater	Oxygen, Dissolved	7.41	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	03/Jan/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.62	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	7.93	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.60	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.88	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.22	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.72	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	4.47	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.42	mg/L
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Jul/2004		Westside Coalition	samplewater	pH	7.5	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Jul/2004		Westside Coalition	samplewater	pH	8.06	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	pH	7.34	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	pH	7.93	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Sep/2004		Westside Coalition	samplewater	pH	7.9	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Sep/2004		Westside Coalition	samplewater	pH	8.19	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	pH	8.16	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	pH	8.00	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Nov/2004		Westside Coalition	samplewater	pH	8.26	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Nov/2004		Westside Coalition	samplewater	pH	8.05	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	pH	7.84	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	pH	7.69	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	pH	7.35	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	pH	8.05	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Feb/2005		Westside Coalition	samplewater	pH	8.25	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16/Feb/2005		Westside Coalition	samplewater	pH	7.70	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	07/Mar/2005		Westside Coalition	samplewater	pH	7.21	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Mar/2005		Westside Coalition	samplewater	pH	7.56	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Mar/2005		Westside Coalition	samplewater	pH	8.03	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Apr/2005		Westside Coalition	samplewater	pH	7.48	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/May/2005		Westside Coalition	samplewater	pH	6.04	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Jun/2005		Westside Coalition	samplewater	pH	6.55	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Jul/2005		Westside Coalition	samplewater	pH	7.37	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Aug/2005		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2005		Westside Coalition	samplewater	pH	8.35	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Oct/2005		Westside Coalition	samplewater	pH	0.00	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2005		Westside Coalition	samplewater	pH	8.65	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Nov/2005		Westside Coalition	samplewater	pH	8.09	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Dec/2005		Westside Coalition	samplewater	pH	7.31	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	03/Jan/2006		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Feb/2006		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Feb/2006		Westside Coalition	samplewater	pH	8.14	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Mar/2006		Westside Coalition	samplewater	pH	7.07	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Apr/2006		Westside Coalition	samplewater	pH	7.87	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/May/2006		Westside Coalition	samplewater	pH	8.14	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Jun/2006		Westside Coalition	samplewater	pH	9.78	units
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Jul/2004		Westside Coalition	samplewater	SpecificConductance	785.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	831.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	650.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	648.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	595.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	649.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1153.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Dec/2004		Westside Coalition	samplewater	SpecificConductance	1082.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Jan/2005		Westside Coalition	samplewater	SpecificConductance	1077.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	1283.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	16/Feb/2005		Westside Coalition	samplewater	SpecificConductance	652.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	07/Mar/2005		Westside Coalition	samplewater	SpecificConductance	865.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1063.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Mar/2005		Westside Coalition	samplewater	SpecificConductance	1118.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	1341.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/May/2005		Westside Coalition	samplewater	SpecificConductance	1272.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	505.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	510.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	548.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	682.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	595.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	659.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	502.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	10/Nov/2005		Westside Coalition	samplewater	SpecificConductance	595.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	1018.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	454.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	585.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	28/Feb/2006		Westside Coalition	samplewater	SpecificConductance	544.00	uS/cm
Westside Coalition	541XSSASD	Salt Slough at Sand Dam	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	1025.00	uS/cm

[illegible]



Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Feb/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.65	mg/L
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.73	mg/L
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Mar/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.84	mg/L
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Apr/2006		Westside Coalition	samplewater	Oxygen, Dissolved	6.64	mg/L
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/May/2006		Westside Coalition	samplewater	Oxygen, Dissolved	8.58	mg/L
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Jun/2006		Westside Coalition	samplewater	Oxygen, Dissolved	9.02	mg/L
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Jul/2004		Westside Coalition	samplewater	pH	8.4	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Jul/2004		Westside Coalition	samplewater	pH	7.60	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	pH	8.63	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	pH	7.73	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Sep/2004		Westside Coalition	samplewater	pH	8.25	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Sep/2004		Westside Coalition	samplewater	pH	8.17	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	pH	8.28	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	pH	7.86	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	pH	8.42	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/Nov/2004		Westside Coalition	samplewater	pH	7.88	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/Nov/2004		Westside Coalition	samplewater	pH	7.85	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	pH	7.62	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	pH	7.67	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	pH	7.47	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	pH	7.43	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	pH	7.45	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	08/Feb/2005		Westside Coalition	samplewater	pH	7.65	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	16/Feb/2005		Westside Coalition	samplewater	pH	7.69	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	07/Mar/2005		Westside Coalition	samplewater	pH	8.14	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	08/Mar/2005		Westside Coalition	samplewater	pH	7.80	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Apr/2005		Westside Coalition	samplewater	pH	7.63	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/May/2005		Westside Coalition	samplewater	pH	7.20	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Jun/2005		Westside Coalition	samplewater	pH	7.89	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Jul/2005		Westside Coalition	samplewater	pH	7.69	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/Aug/2005		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2005		Westside Coalition	samplewater	pH	7.96	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Oct/2005		Westside Coalition	samplewater	pH	7.49	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2005		Westside Coalition	samplewater	pH	8.40	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	08/Nov/2005		Westside Coalition	samplewater	pH	7.53	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Dec/2005		Westside Coalition	samplewater	pH	7.41	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	03/Jan/2006		Westside Coalition	samplewater	pH	7.44	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Feb/2006		Westside Coalition	samplewater	pH	7.28	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Feb/2006		Westside Coalition	samplewater	pH	7.48	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Mar/2006		Westside Coalition	samplewater	pH	7.18	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Mar/2006		Westside Coalition	samplewater	pH	7.50	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Apr/2006		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/May/2006		Westside Coalition	samplewater	pH	6.49	units
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13						

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Jul/2004		Westside Coalition	samplewater	Temperature	25.40	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	Temperature	25.35	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/Aug/2004		Westside Coalition	samplewater	Temperature	25.35	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Sep/2004		Westside Coalition	samplewater	Temperature	22.07	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Sep/2004		Westside Coalition	samplewater	Temperature	22.07	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	Temperature	21.8	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2004		Westside Coalition	samplewater	Temperature	21.80	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.2	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.20	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/Nov/2004		Westside Coalition	samplewater	Temperature	14.23	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/Nov/2004		Westside Coalition	samplewater	Temperature	14.23	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.23	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.23	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	Temperature	8.81	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Dec/2004		Westside Coalition	samplewater	Temperature	8.81	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.64	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.64	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	08/Feb/2005		Westside Coalition	samplewater	Temperature	12.58	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	16/Feb/2005		Westside Coalition	samplewater	Temperature	14.13	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	07/Mar/2005		Westside Coalition	samplewater	Temperature	16.82	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	08/Mar/2005		Westside Coalition	samplewater	Temperature	17.29	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Apr/2005		Westside Coalition	samplewater	Temperature	18.19	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	10/May/2005		Westside Coalition	samplewater	Temperature	18.02	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Jun/2005		Westside Coalition	samplewater	Temperature	23.45	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Jul/2005		Westside Coalition	samplewater	Temperature	27.59	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/Aug/2005		Westside Coalition	samplewater	Temperature	27.44	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Sep/2005		Westside Coalition	samplewater	Temperature	20.72	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Oct/2005		Westside Coalition	samplewater	Temperature	18.93	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	12/Oct/2005		Westside Coalition	samplewater	Temperature	18.07	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	08/Nov/2005		Westside Coalition	samplewater	Temperature	14.62	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Dec/2005		Westside Coalition	samplewater	Temperature	9.92	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	03/Jan/2006		Westside Coalition	samplewater	Temperature	10.85	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Feb/2006		Westside Coalition	samplewater	Temperature	14.14	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	28/Feb/2006		Westside Coalition	samplewater	Temperature	13.45	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Mar/2006		Westside Coalition	samplewater	Temperature	10.94	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	14/Mar/2006		Westside Coalition	samplewater	Temperature	11.37	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	11/Apr/2006		Westside Coalition	samplewater	Temperature	13.82	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	09/May/2006		Westside Coalition	samplewater	Temperature	19.27	°C
Westside Coalition	541XSJRLA	SJR at Lander Avenue	13/Jun/2006		Westside Coalition	samplewater	Temperature	19.89	°C
Westside Coalition	541XSJRSD	SJR at Sack Dam	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.48	mg/L
Westside Coalition	541XSJRSD	SJR at Sack Dam	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	7.48	mg/L
Westside Coalition	541XSJRSD	SJR at Sack Dam	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.03	mg/L
Westside Coalition	541XSJRSD	SJR at Sack Dam	10/Aug/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.03	mg/L
Westside Coalition	541XSJRSD	SJR at Sack Dam	14/Sep/2004		Westside Coalition	samplewater	Oxygen, Dissolved	8.88	mg/L

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Jan/2005		Westside Coalition	samplewater	pH	8.05	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Mar/2005		Westside Coalition	samplewater	pH	7.30	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/May/2005		Westside Coalition	samplewater	pH	7.76	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Aug/2005		Westside Coalition	samplewater	pH	7.95	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2005		Westside Coalition	samplewater	pH	7.51	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Nov/2005		Westside Coalition	samplewater	pH	7.71	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Feb/2006		Westside Coalition	samplewater	pH	7.58	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Mar/2006		Westside Coalition	samplewater	pH	7.22	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Apr/2006		Westside Coalition	samplewater	pH	7.78	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/May/2006		Westside Coalition	samplewater	pH	8.50	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jun/2006		Westside Coalition	samplewater	pH	7.89	units
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jul/2004		Westside Coalition	samplewater	SpecificConductance	404.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	472.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	411.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	549.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Nov/2004		Westside Coalition	samplewater	SpecificConductance	408.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Dec/2004		Westside Coalition	samplewater	SpecificConductance	592.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Dec/2004		Westside Coalition	samplewater	SpecificConductance	533.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Jan/2005		Westside Coalition	samplewater	SpecificConductance	760.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	520.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	15/Feb/2005		Westside Coalition	samplewater	SpecificConductance	422.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	535.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	224.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/May/2005		Westside Coalition	samplewater	SpecificConductance	58.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	82.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	80.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	302.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	408.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	328.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	340.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	532.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	03/Jan/2006		Westside Coalition	samplewater	SpecificConductance	504.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	287.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Feb/2006		Westside Coalition	samplewater	SpecificConductance	324.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Mar/2006		Westside Coalition	samplewater	SpecificConductance	308.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Apr/2006		Westside Coalition	samplewater	SpecificConductance	81.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/May/2006		Westside Coalition	samplewater	SpecificConductance	53.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	38.00	uS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	404	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	472	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	411	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	549	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Nov/2004		Westside Coalition	samplewater	SpecificConductivity	408	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	592	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Dec/2004		Westside Coalition	samplewater	SpecificConductivity	533	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Jan/2005		Westside Coalition	samplewater	SpecificConductivity	760	µS/cm
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jul/2004		Westside Coalition	samplewater	Temperature	25.57	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jul/2004		Westside Coalition	samplewater	Temperature	25.57	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/Aug/2004		Westside Coalition	samplewater	Temperature	25.81	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/Aug/2004		Westside Coalition	samplewater	Temperature	25.81	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Sep/2004		Westside Coalition	samplewater	Temperature	22.76	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Sep/2004		Westside Coalition	samplewater	Temperature	22.76	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.68	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2004		Westside Coalition	samplewater	Temperature	18.68	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Nov/2004		Westside Coalition	samplewater	Temperature	15.29	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Nov/2004		Westside Coalition	samplewater	Temperature	15.29	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.37	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Dec/2004		Westside Coalition	samplewater	Temperature	11.37	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Dec/2004		Westside Coalition	samplewater	Temperature	10.08	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Dec/2004		Westside Coalition	samplewater	Temperature	10.08	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.84	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Jan/2005		Westside Coalition	samplewater	Temperature	10.84	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Feb/2005		Westside Coalition	samplewater	Temperature	12.71	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	15/Feb/2005		Westside Coalition	samplewater	Temperature	13.57	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Mar/2005		Westside Coalition	samplewater	Temperature	20.28	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Apr/2005		Westside Coalition	samplewater	Temperature	18.17	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	10/May/2005		Westside Coalition	samplewater	Temperature	19.15	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Jun/2005		Westside Coalition	samplewater	Temperature	22.70	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Jul/2005		Westside Coalition	samplewater	Temperature	26.26	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/Aug/2005		Westside Coalition	samplewater	Temperature	27.55	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Sep/2005		Westside Coalition	samplewater	Temperature	21.92	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	12/Oct/2005		Westside Coalition	samplewater	Temperature	19.31	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	08/Nov/2005		Westside Coalition	samplewater	Temperature	15.35	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Dec/2005		Westside Coalition	samplewater	Temperature	9.69	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	03/Jan/2006		Westside Coalition	samplewater	Temperature	10.59	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Feb/2006		Westside Coalition	samplewater	Temperature	12.66	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	28/Feb/2006		Westside Coalition	samplewater	Temperature	14.36	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	14/Mar/2006		Westside Coalition	samplewater	Temperature	12.25	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	11/Apr/2006		Westside Coalition	samplewater	Temperature	13.82	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	09/May/2006		Westside Coalition	samplewater	Temperature	18.16	°C
Westside Coalition	541XSJRSJ	SJR at Sack Dam	13/Jun/2006		Westside Coalition	samplewater	Temperature	19.05	°C
Westside Coalition	SJWSP	SJR at WSID Pumps	09/Aug/2005		Westside Coalition	samplewater	Oxygen, Dissolved	5.78	mg/L
Westside Coalition	SJWSP	SJR at WSID Pumps	09/Aug/2005		Westside Coalition	samplewater	pH	7.97	units
Westside Coalition	SJWSP	SJR at WSID Pumps	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	804.00	uS/cm
Westside Coalition	SJWSP	SJR at WSID Pumps	09/Aug/2005		Westside Coalition	samplewater	Temperature	24.73	°C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	5.75	mg/L
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jul/2004		Westside Coalition	samplewater	Oxygen, Dissolved	5.75	mg/L

[illegible]

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	17/May/2006			Westside Coalition	samplewater	SpecificConductance	146.00 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jun/2006			Westside Coalition	samplewater	SpecificConductance	132.00 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jul/2004			Westside Coalition	samplewater	SpecificConductivity	759 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	10/Aug/2004			Westside Coalition	samplewater	SpecificConductivity	459 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2004			Westside Coalition	samplewater	SpecificConductivity	1135 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2004			Westside Coalition	samplewater	SpecificConductivity	1135 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Oct/2004			Westside Coalition	samplewater	SpecificConductivity	1228 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	09/Nov/2004			Westside Coalition	samplewater	SpecificConductivity	145 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004			Westside Coalition	samplewater	SpecificConductivity	115 uS/cm
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jul/2004			Westside Coalition	samplewater	Temperature	18.53 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jul/2004			Westside Coalition	samplewater	Temperature	18.53 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	10/Aug/2004			Westside Coalition	samplewater	Temperature	20.09 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	10/Aug/2004			Westside Coalition	samplewater	Temperature	20.09 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2004			Westside Coalition	samplewater	Temperature	17 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2004			Westside Coalition	samplewater	Temperature	17 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2004			Westside Coalition	samplewater	Temperature	17.00 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2004			Westside Coalition	samplewater	Temperature	17.00 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Oct/2004			Westside Coalition	samplewater	Temperature	12.78 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Oct/2004			Westside Coalition	samplewater	Temperature	12.78 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	09/Nov/2004			Westside Coalition	samplewater	Temperature	13.06 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	09/Nov/2004			Westside Coalition	samplewater	Temperature	13.06 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004			Westside Coalition	samplewater	Temperature	11.21 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Dec/2004			Westside Coalition	samplewater	Temperature	11.21 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	08/Feb/2005			Westside Coalition	samplewater	Temperature	11.93 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	08/Mar/2005			Westside Coalition	samplewater	Temperature	14.79 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Apr/2005			Westside Coalition	samplewater	Temperature	13.51 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	10/May/2005			Westside Coalition	samplewater	Temperature	15.08 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Jun/2005			Westside Coalition	samplewater	Temperature	19.48 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Jul/2005			Westside Coalition	samplewater	Temperature	25.71 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	09/Aug/2005			Westside Coalition	samplewater	Temperature	24.69 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	14/Sep/2005			Westside Coalition	samplewater	Temperature	19.12 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Oct/2005			Westside Coalition	samplewater	Temperature	16.55 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	12/Oct/2005			Westside Coalition	samplewater	Temperature	16.55 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	08/Nov/2005			Westside Coalition	samplewater	Temperature	12.85 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Mar/2006			Westside Coalition	samplewater	Temperature	10.78 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	11/Apr/2006			Westside Coalition	samplewater	Temperature	15.68 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	09/May/2006			Westside Coalition	samplewater	Temperature	20.68 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	17/May/2006			Westside Coalition	samplewater	Temperature	24.34 °C
Westside Coalition	541XTSAER	Turner Slough near Edminster Road	13/Jun/2006			Westside Coalition	samplewater	Temperature	22.36 °C
Westside Coalition	WWARP	Westley Wasteway at Refuge	09/Aug/2005			Westside Coalition	samplewater	Oxygen, Dissolved	7.15 mg/L
Westside Coalition	WWARP	Westley Wasteway at Refuge	09/Aug/2005			Westside Coalition	samplewater	pH	7.99 units
Westside Coalition	WWARP	Westley Wasteway at Refuge	09/Aug/2005			Westside Coalition	samplewater	SpecificConductance	543.00 uS/cm
Westside Coalition	WWARP	Westley Wasteway at Refuge	09/Aug/2005			Westside Coalition	samplewater	Temperature	22.18 °C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul						

Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	11/Oct/2005		Westside Coalition	samplewater	pH	7.23	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2005		Westside Coalition	samplewater	pH	7.46	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Nov/2005		Westside Coalition	samplewater	pH	7.81	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Dec/2005		Westside Coalition	samplewater	pH	7.75	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	03/Jan/2006		Westside Coalition	samplewater	pH	7.88	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Feb/2006		Westside Coalition	samplewater	pH	7.91	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Mar/2006		Westside Coalition	samplewater	pH	8.64	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Mar/2006		Westside Coalition	samplewater	pH	7.98	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	05/Apr/2006		Westside Coalition	samplewater	pH	8.42	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	09/May/2006		Westside Coalition	samplewater	pH	7.95	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Jun/2006		Westside Coalition	samplewater	pH	8.43	units
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductance	745.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductance	706.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductance	828.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductance	789.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductance	603.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Feb/2005		Westside Coalition	samplewater	SpecificConductance	453.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Mar/2005		Westside Coalition	samplewater	SpecificConductance	403.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Apr/2005		Westside Coalition	samplewater	SpecificConductance	331.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/May/2005		Westside Coalition	samplewater	SpecificConductance	282.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Jun/2005		Westside Coalition	samplewater	SpecificConductance	213.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Jul/2005		Westside Coalition	samplewater	SpecificConductance	268.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	09/Aug/2005		Westside Coalition	samplewater	SpecificConductance	450.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2005		Westside Coalition	samplewater	SpecificConductance	505.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	11/Oct/2005		Westside Coalition	samplewater	SpecificConductance	265.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2005		Westside Coalition	samplewater	SpecificConductance	519.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Nov/2005		Westside Coalition	samplewater	SpecificConductance	273.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Dec/2005		Westside Coalition	samplewater	SpecificConductance	436.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Feb/2006		Westside Coalition	samplewater	SpecificConductance	246.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Mar/2006		Westside Coalition	samplewater	SpecificConductance	184.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	09/May/2006		Westside Coalition	samplewater	SpecificConductance	174.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Jun/2006		Westside Coalition	samplewater	SpecificConductance	122.00	uS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	SpecificConductivity	745	µS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	SpecificConductivity	706	µS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	828	µS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	SpecificConductivity	789	µS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	SpecificConductivity	663	µS/cm
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	21.79	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	06/Jul/2004		Westside Coalition	samplewater	Temperature	21.79	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	18.25	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/Aug/2004		Westside Coalition	samplewater	Temperature	18.25	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Sep/2004		Westside Coalition	samplewater	Temperature	17.26	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Sep/2004		Westside Coalition	samplewater	Temperature	17.26	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	17.05	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2004		Westside Coalition	samplewater	Temperature	17.05	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	12.57	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2004		Westside Coalition	samplewater	Temperature	12.57	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Feb/2005		Westside Coalition	samplewater	Temperature	9.37	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Mar/2005		Westside Coalition	samplewater	Temperature	11.64	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Apr/2005		Westside Coalition	samplewater	Temperature	8.84	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	10/May/2005		Westside Coalition	samplewater	Temperature	10.76	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Jun/2005		Westside Coalition	samplewater	Temperature	20.12	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Jul/2005		Westside Coalition	samplewater	Temperature	20.10	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	09/Aug/2005		Westside Coalition	samplewater	Temperature	21.85	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Sep/2005		Westside Coalition	samplewater	Temperature	14.63	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	11/Oct/2005		Westside Coalition	samplewater	Temperature	14.76	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	12/Oct/2005		Westside Coalition	samplewater	Temperature	16.31	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	08/Nov/2005		Westside Coalition	samplewater	Temperature	12.39	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Dec/2005		Westside Coalition	samplewater	Temperature	4.80	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	14/Feb/2006		Westside Coalition	samplewater	Temperature	8.71	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Mar/2006		Westside Coalition	samplewater	Temperature	6.36	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	09/May/2006		Westside Coalition	samplewater	Temperature	17.50	°C
Westside Coalition	541XWWNCR	Westley Wasteway near Cox Road	13/Jun/2006		Westside Coalition	samplewater	Temperature	17.46	°C